

Axis EN Intelligent Optical Smoke Detector without isolator

The Axis-OP analogue Optical Smoke Detector is a point detection device that continuously monitors the air in the protected area to provide the earliest warning of a fire condition.

The enhanced design of the smoke inlet and optical chamber guarantees a very high resistance to the entry of dust, ensuring a higher level of false alarm rejection without compromising sensing performance.

This detector is characterised by an aesthetically pleasing low profile and is specifically designed for Axis EN control panels.



Standards and Approvals

- EN54-7:2002 +A1:2002 +A2:2006
- Approved by BRE/LPCB and certified by the UAE Civil Defence

Features

- Multiple fully approved sensitivity settings
- Utilises Axis EN protocol with high noise rejection
- Dual single-colour LEDs providing 360° cone of visibility
- Dust Restrict Chamber (DRC) technology offering advanced immunity to airborne contaminants
- Open style mounting base offers easy wiring and low pressure locking
- Addressing using the Device Programming Tool

Specification

Loop Voltage (*)	18-40 V _{dc}
Average Standby Current	85 µA @ 24V _{dc}
Remote Output Max Current	20 mA
Max number of loop addresses	240
Operating Temperature Range	-10°C / +55°C
Humidity (non condensing)	Max 95% RH
Dimensions H x D	49 x 100 mm
IP Rating	IP40 (IP42 with silicon base gasket)
Weight (Standard Base included)	130 g
Colour	Custom white. Closest RAL is RAL 9016

(*) Product operates down to 15 V, but without LED indication.

Order Codes and Options

Axis-OP	Intelligent Optical Smoke Detector without isolator
Axis-MB	Base
Axis-SAMB	Slave Sounder Base
Axis-SVAMB	Slave Sounder Beacon Base
Axis-SMB	Intelligent Sounder Base
Axis-SVMB	Slave Sounder Beacon Base
Axis-WP	Silicon Base Gasket

[Check if this document is up to date](#) | [Give us feedback](#)

Advanced, The Bridges, Balliol Business Park, Newcastle upon Tyne, NE12 8EW, UK T: +44 (0)345 894 7000, E: enquiries@advancedco.com,
W: www.advancedco.com

As our policy is one of constant product improvement the right is therefore reserved to modify product specifications without prior notice.